



Webinar

# Zabbix - Migration from MySQL to PostgreSQL


all our microphones are muted

ask your questions in Q&A, not in the Chat

use Chat for discussion, networking or applause

# 1


Why migrate?



# Why migrate?

What is a main reason for migration?

- › Better community support
- › Better performance and stability
- › Zabbix history syncer is not ready for master-master replication
- › Out of the box **partitioning and compression** via TimescaleDB
- › Easy and strong grow for HA
- › You don't need to care about "log\_bin\_trust\_function\_creators"
- › Many more...



# 2


## Important notice



# Important notice

## Important notice

- › We warn you in advance that you do the migration at your own risk, and we bear no responsibility for any damage caused by unprofessional intervention.
- › Take care about Zabbix schema version!
- › Don't skip any steps!
- › Be careful with DB triggers!
- › If you need help, we are ready to help you with our team of Zabbix Certified Experts and also our team of Postgres Certified Engineers.
- › Make sure your Zabbix environment is in good health, and you don't have any problems with your MySQL database, including all customizations.
- › Check for supported version by your Zabbix Server
- › Check free disk space on DB server



## Zabbix - Migration from MySQL to PostgreSQL

# Important notice

- Check all potential issues in log and on Zabbix > Reports > **System information** page before migration!

initMAX

System information

| Parameter  | Value      | Details                       |
|--|------------|-------------------------------|
| Zabbix server is running                           | Yes        | localhost:10051               |
| Zabbix server version                              | 7.0.0rc1   | New update available          |
| Zabbix frontend version                            | 7.0.0rc1   | New update available          |
| Software update last checked                       | 2024-05-08 |                               |
| Latest release                                     | 7.0.1      | <a href="#">Release notes</a> |
| Number of hosts (enabled/disabled)                 | 1 / 0      |                               |
| Number of templates                                | 310        |                               |
| Number of items (enabled/disabled/not supported)   | 140        | 131 / 0 / 9                   |
| Number of triggers (enabled/disabled [problem/ok]) | 78         | 78 / 0 [0 / 78]               |
| Number of users (online)                           | 2          | 1                             |
| Required server performance, new values per second | 1.74       |                               |
| Global scripts on Zabbix server                    | Disabled   |                               |
| High availability cluster                          | Disabled   |                               |

# 3

## Preparation and rules



# Preparation and rules

## First steps and checks

- › Check your running Zabbix Server version (be sure your Zabbix is not pending for restart)

```
› zabbix_server -V
```

- › Output:

```
zabbix_server (Zabbix) 7.0.0beta1
```

```
Revision 9bc845eca94 30 January 2024, compilation time: Jan 30 2024 00:00:00
```

- › This is important for future steps if your version is pending for restart after update you don't have maybe applied some DB patches.

# Preparation and rules

## First steps and checks

- › Check DB triggers

```
› mysql  
› use zabbix;  
› SHOW TRIGGERS\G
```

- › Result 1/2

```
Empty set (0.00 sec)
```

- › In these conditions, you can skip section regarding to triggers

# Preparation and rules

First steps and checks

- ▶ Result 2/2 (you need to care about triggers in your migration)

```
***** 1. row *****
Trigger: hosts_name_upper_insert
Event: INSERT
Table: hosts
Statement: set new.name_upper=upper(new.name)
Timing: BEFORE
Created: 2024-02-27 09:59:58.09
sql_mode:
ONLY_FULL_GROUP_BY,STRICT_TRANS_TABLES,NO_ZERO_IN_DATE,NO_ZERO_DATE,ERROR_FOR_DIVISION_BY_ZERO
,NO_ENGINE_SUBSTITUTION
Definer: zabbix@localhost
character_set_client: utf8mb4
collation_connection: utf8mb4_0900_ai_ci
Database Collation: utf8mb4_bin
```

# Installing dependencies

Repository, DB and pgloader

- First, we add the official PostgreSQL repository that we recommend for installation.
- `yum install https://download.postgresql.org/pub/repos/yum/reporpms/EL-9-x86_64/pgdg-redhat-repo-latest.noarch.rpm`
- Installing of PostgreSQL server and pgloader
- `yum install postgresql16-server`
  - `/usr/pgsql-16/bin/postgresql-16-setup initdb`
  - `systemctl enable postgresql-16`
  - `systemctl start postgresql-16`
  - `yum install pgloader`

# Preparing for migration

## Temp directory

- › For ease of use in next step we create tmp directory. Make sure you have enough free space in this location too.
- › `mkdir /tmp/zabbix-db-migration/ && cd $_`

# Schema parsing

Download schema

› We need to use EXACTLY same version of source codes like our Zabbix version!

```
› wget https://cdn.zabbix.com/zabbix/sources/development/7.0/zabbix-7.0.0beta1.tar.gz
```

› Unpack source code

```
› tar -zxvf zabbix-7.0.0beta1.tar.gz
```

› Open directory with schema.sql file

```
› cd /tmp/zabbix-db-migration/zabbix-7.0.0beta1/database/postgresql/
```

# Schema parsing

## Parse schema

- › 1/5 Parse only basic schema for creating tables

```
› grep -v 'ALTER TABLE ONLY' schema.sql | grep -v INSERT | grep -v 'CREATE INDEX' | grep -v 'CREATE UNIQUE INDEX' > /tmp/zabbix-db-migration/create_tables.sql
```

- › 2/5 Remove trigger functions from this file

```
› sed -i '/create\ or\ replace\ function/,\$d' /tmp/zabbix-db-migration/create_tables.sql
```

- › 3/5 Create a separate file containing operations related to triggers (if applicable)

```
› awk '/INSERT INTO dbversion/{p=1;next} /ALTER TABLE/{p=0} p' schema.sql > /tmp/zabbix-db-migration/triggers.sql
```

# Schema parsing

## Parse schema

- › 4/5 Select only index creation operations and store them in a separate file

```
› grep -E 'CREATE INDEX|CREATE UNIQUE INDEX' schema.sql > /tmp/zabbix-db-migration/create_index.sql
```

- › 5/5 Create a separate file containing ALTER TABLE ONLY operations

```
› grep 'ALTER TABLE ONLY' schema.sql > /tmp/zabbix-db-migration/alter_table.sql
```

- › Check if you have 4 sql files (if you don't have triggers, you will only have 3 of them)

```
› ls /tmp/zabbix-db-migration/*.sql
```

# Preparing PostgreSQL

## DB preparation

- Go back to our temporary directory

```
➤ cd /tmp/zabbix-db-migration/
```

- Create a database user for Zabbix, you will be prompted to enter a password

```
➤ sudo -u postgres createuser --pwprompt zabbix
```

- Create Zabbix DB

```
➤ sudo -u postgres createdb -O zabbix zabbix
```

# Preparing PostgreSQL

## DB preparation

- › Finally create our stripped db schema
- › `sudo -u postgres psql --host=127.0.0.1 --dbname=zabbix --username=zabbix -f /tmp/zabbix-db-migration/create_tables.sql`
- › For compatibility with the `pgloader` utility, temporarily set the encryption hash to 'md5' and change the password of the created database user so that it is regenerated in the given hash algorithm. For simplicity, ideally use the same password as you've entered on creation of this user.
- › `sudo -u postgres psql -c "SET password_encryption='md5';"`
  - › `sudo -u postgres psql -c "ALTER ROLE zabbix WITH PASSWORD '*****';"`

# Preparing MySQL

## DB preparation

- › Force MySQL to use mysql\_native\_password

```
› nano /etc/my.cnf.d/mysql-server.cnf
```

- › Change default authentication plugin in MySQL

```
[mysqld]
...
default-authentication-plugin=mysql_native_password
```

- › Apply new settings by restarting MySQL server

```
› systemctl restart mysqld
```

## Zabbix - Migration from MySQL to PostgreSQL

# Preparing MySQL

### DB preparation

- Update old Zabbix user with new password in the old format
  
- `mysql -e "ALTER USER 'zabbix'@'localhost' IDENTIFIED WITH mysql_native_password BY '*****';"`

## Zabbix - Migration from MySQL to PostgreSQL

# pgloader

### Config preparation

- › Create new file for pgloader configuration
- › nano /tmp/zabbix-db-migration/pgloader.conf

## Zabbix - Migration from MySQL to PostgreSQL

# pgloader

## Config preparation

- Content of this new config file, don't forget to **change passwords**

```
LOAD DATABASE
FROM mysql://zabbix:*****@127.0.0.1/zabbix
INTO postgresql://zabbix:*****@127.0.0.1/zabbix
WITH include no drop,
truncate,
create no tables,
create no indexes,
no foreign keys,
reset sequences,
data only,
prefetch rows = 30000,
batch rows = 1000,
batch concurrency = 2
ALTER SCHEMA 'zabbix' RENAME TO 'public';
```

# 4

# Migration



## Zabbix - Migration from MySQL to PostgreSQL

# Migration

Turning off all services and start migration

- We need to turn off all applications which are using Zabbix (Graphana also needs to be turned off)

```
➤ systemctl stop zabbix-server httpd
```

- Now is the time to start pgloader with its configuration

```
➤ pgloader --root-dir=/tmp/zabbix-db-migration/data /tmp/zabbix-db-migration/pgloader.conf
```

- Check for mark on the last line

| COPY Threads Completion | 0 | 4       | 15.084s |
|-------------------------|---|---------|---------|
| Reset Sequences         | 0 | 1       | 0.091s  |
| Install Comments        | 0 | 0       | 0.000s  |
| Total import time       | ✓ | 1694504 | 76.0 MB |
|                         |   |         | 15.175s |

## Zabbix - Migration from MySQL to PostgreSQL

# Migration

Turn back SCRAM-SHA-256 for your new Zabbix user

- » pgloader already finished all its work, and we can now turn back SCRAM security

```
» sudo -u postgres psql -c "SET password_encryption='SCRAM-SHA-256';"  
» sudo -u postgres psql -c "ALTER ROLE zabbix WITH PASSWORD '*****';"
```

## Zabbix - Migration from MySQL to PostgreSQL

# Migration

Run all our sql scripts

- Create schema for indexes
  - sudo -u postgres psql --host=127.0.0.1 --dbname=zabbix --username=zabbix -f /tmp/zabbix-db-migration/create\_index.sql
- Create schema for the alter table
  - sudo -u postgres psql --host=127.0.0.1 --dbname=zabbix --username=zabbix -f /tmp/zabbix-db-migration/alter\_table.sql
- Create schema for triggers (if applicable)
  - sudo -u postgres psql --host=127.0.0.1 --dbname=zabbix --username=zabbix -f /tmp/zabbix-db-migration/triggers.sql

## Zabbix - Migration from MySQL to PostgreSQL

# Migration

DB data has been migrated, now is the time for a cleanup

- Run vacuum
  - `sudo -u postgres vacuumdb --dbname=zabbix --analyze --username=postgres --jobs=$(grep -c processor /proc/cpuinfo)`
- You can turn off your MySQL instance
  - `systemctl stop mysqld`

## Zabbix - Migration from MySQL to PostgreSQL

# Migration

We need to install packages for PostgreSQL support instead of MySQL

- Uninstall Zabbix MySQL packages

```
➤ yum remove zabbix-server-mysql zabbix-web-mysql
```

- Install new packages with support of PostgreSQL

```
➤ yum install zabbix-server-pgsql zabbix-web-pgsql zabbix-apache-conf
```

- Fix Zabbix server configuration (reinstallation removes your old config for Zabbix server, old config still exists and can be used after renaming, but in this example, we are using the new one)

```
➤ nano /etc/zabbix/zabbix_server.conf
```

## Zabbix - Migration from MySQL to PostgreSQL

# Migration

Change default Zabbix server config

- You need to change password to the database. Also, it's a good idea to modify other parameters to fit your environment
  - DBPassword=\*\*\*\*\*
- 
- Start all services
  - `systemctl restart zabbix-server httpd`
- 
- Check the log file
  - `less /var/log/zabbix/zabbix_server.log`

## Zabbix - Migration from MySQL to PostgreSQL

# Migration - Frontend

Fix Zabbix frontend to work with PostgreSQL

- You can change MYSQL in `/etc/zabbix/web/zabbix.conf.php` to POSTGRESQL or create a new config entirely. Our preference is to drop the old config and create a new one.
- `rm /etc/zabbix/web/zabbix.conf.php`
- Continue with reinstallation in your browser default address is `http://IP_OF_YOUR_ZABBIX_SERVER/zabbix`

## Zabbix - Migration from MySQL to PostgreSQL

## Migration - Frontend

 **initMAX**

Welcome

Check of pre-requisites

Configure DB connection

Settings

Pre-installation summary

Install

**Pre-installation summary**

Please check configuration parameters. If all is correct, press "Next step" button, or "Back" button to change configuration parameters.

Database type PostgreSQL

Database server localhost

Database port default

Database name zabbix

Database user zabbix

Database password \*\*\*\*\*

Database schema

Database TLS encryption true

Zabbix server name initMAX

[Back](#) [Next step](#)

Licensed under [GPL v2](#)

# 5

## Post migration steps



# Post migration steps

Now it's time to install TimescaleDB

- › Let's start by adding the official repository (don't use any other repository!)

```
tee /etc/yum.repos.d/timescale_timescaledb.repo <<EOL
[timescale_timescaledb]
name=timescale_timescaledb
baseurl=https://packagecloud.io/timescale/timescaledb/el/$(rpm -E %{rhel})/\$basearch
repo_gpgcheck=1
gpgcheck=0
enabled=1
gpgkey=https://packagecloud.io/timescale/timescaledb/gpgkey
sslverify=1
sslcacert=/etc/pki/tls/certs/ca-bundle.crt
metadata_expire=300
EOL
```

# Post migration steps

## Installation of required packages

- › For TimesacleDB you basically need only 2 packages

```
› yum install timescaledb-2-postgresql-16 timescaledb-2-loader-postgresql-16
```

- › Now run `timescaledb-tune`, this small script tests your configuration and helps you with enabling `timescaledb` extension. This script also tunes your PostgreSQL for usage with `timescaledb`. Don't forget to change the value of `max-conns` parameter to fit your environment. The answer to all the questions is basically YES.

```
› timescaledb-tune --pg-config /usr/pgsql-16/bin --max-conns=125
```

## Zabbix - Migration from MySQL to PostgreSQL

# Post migration steps

Enable TimescaleDB for your Zabbix database

- Turn off Zabbix server first and restart PostgreSQL to apply the new configuration

```
➤ systemctl stop zabbix-server  
➤ systemctl restart postgresql-16
```

- Activate TimescaleDB for the Zabbix database

```
➤ echo "CREATE EXTENSION IF NOT EXISTS timescaledb CASCADE;" | sudo -u postgres psql --dbname=zabbix
```

# Post migration steps

Enable TimescaleDB for your Zabbix database

- › Start migration to chunks
- › This operation can take some time, depending on your history and trend data (starting with Zabbix 7.0 also audit table is migrated to chunks)

```
› sudo -u postgres psql --host=127.0.0.1 --dbname=zabbix --username=zabbix -f /tmp/zabbix-db-migration/zabbix-7.0.0beta1/database/postgresql/timescaledb/schema.sql
```

- › After successfully enabling TimescaleDB you can start your Zabbix server again

```
› systemctl start zabbix-server
```

# Post migration steps

Some additional tips and tricks

- › Don't forget to delete MySQL completely after some period of time
- › Don't forget to set up PostgreSQL monitoring
- › Don't forget to configure backup (pgBackRest, pgdump,...)
- › Tune DB for your specific environment
- › In case of HA, best practice now is using a Patroni cluster (We have official Certified training for this product)
- › After migration in large environments, you can encounter some awkwardness in your monitoring. This is a side effect of your new database performance. Usually, some parts of Zabbix are working better now and you have freed additional CPU resources.
- › Don't skip any steps especially alter tables or triggers, this topic is really important!
- › If you need to speed up your frontend you can use pgbouncer.
  
- › You can ask us for help, our specialists are ready to assist you.

Zabbix - Migration from MySQL to PostgreSQL

# Turn key solution from initMAX


We are certified Zabbix Premium Partner and Cybertec Certified Partner

- › We can help you with all your topics including knowledge transfer
- › Some operations cannot be reverted when migration gone wrong
- › <https://www.initmax.com/contact/> EN
- › <https://www.initmax.cz/kontakt/> CZ



Zabbix - Migration from MySQL to PostgreSQL

# You can use our updated Wiki



The screenshot shows a dark-themed website for 'initMAX'. At the top, there's a navigation bar with links to Services, Webinars, Training & certification, References, About us, Events, News, Wiki, Contact, a search icon, and social media links for LinkedIn and Facebook. The English language is selected. Below the navigation is a sidebar titled 'initMAX <Wiki>' containing a search bar and a sidebar menu with sections for Wazuh, PostgreSQL, Zabbix, Installation, Update, and Guides, with the 'Zabbix - Migration from MySQL to PostgreSQL' guide currently selected.

[Home](#) / [Wiki](#) / [PostgreSQL](#) / Zabbix – Migration from MySQL to PostgreSQL

## Zabbix – Migration from MySQL to PostgreSQL

### What is waiting for us?

- [Versions check](#)
- [Preparation steps](#)
- [Migration](#)
- [Functionality testing](#)
- [TimescaleDB](#)

In this tutorial, we will show you how to migrate a Zabbix database from MySQL to PostgreSQL on Rocky Linux 9. At the same time, we will also show you how to turn on TimescaleDB along with some basic performance tuning.

The article assumes that if optional patches are available ([float](#) and [primary keys](#)), then they have already been applied to the database.


If you are not sure about this, then information about this status is also displayed in the frontend in the System information section, e.g. "Database history tables upgraded: No".

<https://www.initmax.com/wiki/> EN

<https://www.initmax.cz/wiki/> CZ

# 6

## Demonstration





Questions?



# Contact us:

Phone:



+420 800 244 442

Web:



<https://www.initmax.cz>

Email:



[tomas.hermanek@initmax.cz](mailto:tomas.hermanek@initmax.cz)

LinkedIn:



<https://www.linkedin.com/company/initmax>

Twitter:



<https://twitter.com/initmax>

Tomáš Heřmánek:



+420 732 447 184